		*		
1	2	3	- 4	5
	Birth to	BCG	1	Intra dermal
	12 months			
	9 to 15 months	Measles	1	Sub-cutaneous
	18 to 24	DPT	1 **	Intra-muscular
	months	OPV	1**	Oral
CHILDREN	5 years	DT	2*	Intra-muscular
	5 years	Typhoid	2	Subcutaneous
	10 years	TT	2*	Intra-muscular
	16 years	TT	2*	Intra-muscular

<sup>\*</sup>give one doses if vaccinated previously.

## NOTE :--

- -Interval between doses should not be less than one month.
- -the dose of all vaccines is 0.5 ml. except BCG which is 0.1 ml.

Polio vaccine is given by mouth in 2 drops. Check the label of the vial before use.

Older children may be given vaccines "ON DEMAND". Children above 2 years of age may be given only 2 doses of DT.

## Master plan for development of Visakhapatnam Port

3388. SHRIS PALAKONDRAYUDU: Will the Minister of SURFACE TRANS-PORT be pleased to state:

- (a) whether the Indian Ports Association (IPA) is preparing a 'Master Plan' for Visakhapatnam Port till 2001 A. D.; and
- (b) if so, the probable date by which the Association will submit its plan?

THE MINISTER OF STATE OF THE MINISTRY OF SURFACE TRANSPORT (SHRI RAJESH PILOT): (a) and (b). Indian Ports Association is preparing the Master Plan for Visakhapatnam Port for a time span of 15 years from 1988-2002. Master Plan is expected to be completed in about a year.

## Flood control measures

JAYANTI 3389. SHRIMATI PATNAIK: Will the Minister of WATER RESOURCES be pleased to state:

- (a) the strategy proposed by Government for flood control during the Seventh Plan;
- (b) the amount of financial provision made therefor by Government for that purpose in the above plan period;
- (c) the works undertaken during the present plan period to control flood; and
  - (d) the details thereof?

THE MINISTER OF WATER RESOURCES (SHRI B. SHANKARA-NAND): (a) The strategy proposed in the VII Plan for flood control is:

- to give priority to completion of (i) the continuing schemes spilling over from the Sixth Plan;
- (ii) to execute emergency schemes in vulnerable areas;
- to aim at the provision of adequate (iii) funds for the proper maintenance of completed works;

<sup>\*\*</sup>booster dose.