

Telephone engineering department

3108. SHRI SHYAM SUNDER GUPTA : Will the Minister of COMMUNICATIONS be pleased to state :

(a) whether any period for stay for an officer of the Telephone Engineering Department at one station has been prescribed and if so, how long and if not, the reasons therefor; and

(b) the number of officers of the rank of Assistant Engineer and above who have stayed in the Capital for the last more than 5 years (inclusive of their stay in the Delhi Telephone Distt. Research Wing and DGPNT) ?

THE MINISTER OF STATE IN THE MINISTRY OF COMMUNICATIONS (SHRI NARHARI PRASAD SUKHDEO SAI) : (a) Yes. It is 4 years on a post and 6 years at a station. However, Rotational Transfers are not now being made as a measure of economy.

(b) 1. Assistant Engineers ..	141
2. Divisional Engineers ..	32
3. Director Telecometc ..	36
4. General Manager etc. ..	08

बेरावल मर्केन्टाइल को-आपरेटिव बैंक लि०, जिला जूनागढ़ की मांग

3109. श्री बर्मासिंह भाई पटेल : क्या संचार मंत्री यह बताने की कृपा करेंगे कि :

(क) क्या गुजरात के जूनागढ़ जिले की बेरावल मर्केन्टाइल को-आपरेटिव बैंक लि०, बेरावल ने टेलीफोनों और टेलेक्स के बारे में 10 अगस्त, 1977 को एक ग्यारह सूत्री ज्ञापन पेश किया था ;

(ख) यदि हां, तो ज्ञापन में क्या मांगें की गई हैं; और

(ग) उसमें की गई प्रत्येक मांग के बारे में अब तक सरकार ने क्या कार्यवाही की है ?

संचार मंत्रालय में राज्य मंत्री (श्री नरहरि प्रसाद सुखदेव साय) : (क) से (ग) जी हां। बेरावल मर्केन्टाइल को-आपरेटिव बैंक लि०, बेरावल की ओर से एक ज्ञापन प्राप्त हुआ है। इस ज्ञापन में दी गई मुख्य मांगें और उन पर की गई कार्यवाही का उल्लेख विवरण में किया गया है।

विवरण

- कोएक्सियल का कार्यकरण : राजकोट से बम्बई प्रारम्भ से ही दोषपूर्ण है और वह आज तक उसी स्थिति में है। कर्मचारियों की संख्या बढ़ा दी गई है और इस प्रणाली के कार्यकरण पर उचित निगरानी रखी जा रही है। कोएक्सियल प्रणाली का कार्यकरण संतोषजनक है।
- बम्बई के लिए अतिरिक्त सीधे डायल करने के चैनल तिन अतिरिक्त सीधे डायल करने के सर्किट लगाने की योजना बनाई गई है।

अहमदाबाद-बम्बई कोएक्सियल प्रणाली को वर्ष 1978 में उच्चस्तर की प्रणाली में बदलने के बाद ये अतिरिक्त सर्किट लगाए जाएंगे।