

[*Translation*]

Greater Gangau Dam Project Dispute

*509. SHRI RAM SAJIWAN: Will the Minister of WATER RESOURCES be pleased to state:

(a) whether the joint studies undertaken by Uttar Pradesh and Madhya Pradesh Governments regarding the availability of water in Greater Gangau Dam Project have been finalised;

(b) if not, the reasons therefor:

(c) since when the dispute on the project is pending and the reasons therefor; and

(d) the steps taken by Government to resolve this dispute?

THE MINISTER OF STATE IN THE MINISTRY OF WATER RESOURCES (SHRI MANUBHAI KOTADIA): (a) to (d). The issue was first brought up before the 15th meeting of the Central Zonal Council in 1985. The National Water Development Agency was thereafter entrusted with the study of water availability. On the basis of the comments from the States on National Water Development Agency's studies and the subsequent discussions held by the Central Water Commission, National Water Development Agency has been requested in November, 1989 to finalise their report on the water availability in the Ken River at the Greater Gangau Dam site.

[*English*]

Ultra Sound and CAT Scan Equipment in Safdarjung Hospital

*510. SHRI RAMESH CHENNITHALA: Will the Minister of HEALTH AND FAMILY WELFARE be pleased to state:

(a) whether the Department of Radiology in Safdarjung Hospital have ultra sound and CAT Scan equipments;

(b) if not, the reasons therefor and the arrangements made for the patients particularly the poor ones to get these tests done; and

(c) whether Government propose to instal ultra sound and CAT Scan equipments in Safdarjung Hospital and if so, by when?

THE MINISTER OF HEALTH AND FAMILY WELFARE (SHRI NILAMANI ROURAY): (a) No, Sir.

(b) Whenever required, patients are being referred to Dr. Ram Manohar Lohia Hospital and All India Institute of Medical Sciences where these diagnostic equipment are available.

(c) An Ultra-sound unit in Radiology Department has already been procured and is expected to be installed within a period of 2 months. Arrangements have also been made for obtaining the CAT SCAN machine under a Government of Japan Aid Programme and the machine is expected to be installed in 1991.

[*Translation*]

Spread of Bacillary Dysentery in Bastar District

*511. SHRI SUKHENDRA SINGH: Will the Minister of HEALTH AND FAMILY WELFARE be pleased to state:

(a) whether Government are aware of the spread of the bacillary dysentery disease in Baster district of Madhya Pradesh for the last five years;

(b) whether any medical team from Centre was sent there last year to find out the causes of the disease and if so, the findings