

the driver has to immediately tell two staff members about the compressor or the traction motor is not being in working order so that immediately they can communicate the message to V. T. Station. By this measure, when the train comes on platform No. 1, there will be no occasion or cause to announce that the same train will be going from another platform and passengers should shift to another platform. If that psychological factor is taken into account, all the trouble will be over.

SHRI R. K. MHALGI: May I know from the hon. Minister whether there is any phased programme regarding replacement of various parts that have been mentioned now?

PROF. MADHU DANDAVATE: I have already booked an order for imported materials and we hope that by February we will be able to get the first consignment of some of the components. They are only spares. But as far as replacement is concerned, they will be completely replaced by indigenous parts.

श्रीमती भृगुलाल गोरे : अध्यक्ष महोदय, मैं जानती हूँ कि मंत्री महोदय ने दबाव में कहा है और यह बात सही है कि मैट्रल रेलवे में जो इंस्टॉल हुआ, गये 6 महीने में बीसा वैस्टन रेलवे में नहीं हुआ, लेकिन मैं उनसे जानना चाहती हूँ कि क्या वे जानते हैं कि 1980 तक वैस्टन रेलवे में कोई नये रैकम नहीं आ रहे हैं और अगर इसी प्रकार से चलेगा तो वैस्टन रेलवे की परिस्थिति भी बहुत खराब हो जायेगी ?

सबबन रेलवे यूनर्स कंसल्टेटिव कमेटी में पिछले महीने एक राय से प्रस्ताव पारित हुआ कि वैस्टन रेलवे में जो रैकम की मांग है, वह पूरी करने के लिये कदम उठाये जायें, मैं जानना चाहती हूँ कि क्या मंत्री महोदय इसके बारे में कोई प्राश्वासन दे सकते हैं ? अगर रैकम कम मैन्वु-फैक्चर हो रहे हैं तो क्या वह इम्पोर्ट करेंगे जिससे वैस्टन रेलवे को भी इसमें प्रीफरेंस मिल सके ? क्या इस बारे में वह कुछ कार्यवाही करेंगे ?

प्रो० मधु दंडवते : माननीया सदस्य वैस्टन रेलवे के सबबन में रहने वाली महिला हैं इसलिये उनको वैस्टन रेलवे की ज्यादा फिक्र है यह मैं जानता हूँ । यह भी मझे जानकारी है कि वहाँ के सबबन पेसेजर्स एसोसियेशन ने एक राय से मांग की है कि 1980 तक उनको रैकम दिये

जायें, अगर उससे पहले मिल सके तो ठीक होगा लेकिन कम-से-कम 1980 तक भी हो जायें तो ठीक होगा । चाहे इस प्रकार की तकलीफ वैस्टन रेलवे में न हो जाये इसलिये हम रैकम का इन्तजाम करने की कोशिश करेंगे, ऐसा मैं प्राश्वासन देता हूँ ।

Bursting of Gas Cylinders in Delhi +

133. **SHRI KACHARULAL HEM-RAJ JAIN:**

SHRIMATI MOHSINA KID-WAI:

Will the Minister of **PETROLEUM, CHEMICALS AND FERTILIZERS** be pleased to state:

(a) whether it is a fact that a truck-load of domestic gas cylinders had burst out in Kotla Mubarakpur, New Delhi; on 10th October; 1978 and caused great public panic in the area;

(b) the reasons for the bursting of gas cylinders; and

(c) the loss of life and wealth as a result thereof?

THE MINISTER OF PETROLEUM AND CHEMICALS AND FERTILIZERS (SHRI H. N. BAHUGUNA): (a) A truck loaded with 250 domestic cooking gas cylinders was being brought from the Indian Oil Corporation's Shakurbasti (Delhi) bottling plant on 10th October, 1978. The cylinders were to be delivered to the distributing agent at Babu Park, Kotla Mubarakpur New Delhi. The truck caught fire leading to the bursting of a large number of cylinders.

(b) The exact cause of the fire and explosion is still under investigation by the Controller of Explosives, Agra. Preliminary investigations tend to show leakage of gas from filled cylinders. These cylinders appear to have got ignited from an external source of fire likely to have been brought into the truck carrying the cylinders.

(c) The total estimated loss of property is about Rs. 1.5 lakhs. This in-

cludes the loss of cylinders damaged in the fire, the cost of the truck, product loss and partial damage to the godown structure of the distributor. There was no loss of life.

श्री कचरलाल हेमराज जैन : प्रश्न के उत्तर में यह बताया गया है कि कोटला मुबारकपुर के एजेन्ट को जो गैस सिलेंडर जा रहे थे तो जिस ट्रक में वह सिलेंडर थे उसमें गोदाम से 5 मीटर की दूरी पर आग लग गई। मैं जानना चाहता हूँ कि जिन एजेन्टों को यह गैस सिलेंडर जा रहे थे, क्या उनके पास अयोराइज्ड गोदाम हैं जिनको कि पास किया है? एक अखबार में लिखा है कि उनके पास अयोराइज्ड गोदाम नहीं हैं और ऐसी जगह गोदाम बना हुआ है जहाँ कि जन-साधारण रहते हैं और अन्-अयोराइज्ड गोदाम में गैस सिलेंडर रखे जाते हैं। क्या इसकी जांच करा कर वहाँ के जन-जीवन को सुरक्षित करने की व्यवस्था करेंगे?

श्री हेमवती नन्दन बहुगुणा : एजेन्ट ने यह गोदाम कोटला मुबारकपुर में 1975 में बनाया था और उस समय उसने चीफ कन्ट्रोलर आफ एक्सप्लोसिज, नागपुर की इजाजत से बनाया था। साथ ही उस समय आम-पास कोई घर नहीं थे जो कि बाद में बन गये। इसलिये यह बात सही है कि आज उसके चारों तरफ घर बहुत सारे हो गये हैं, लेकिन यह गोदाम उसके पास जापते का बना हुआ मौजूद है, यह भी प्रमाणित बात है।

श्री कचरलाल हेमराज जैन : विवेक गैस सर्विस और ज्वाला गैस कम्पनी के पास क्या अयोराइज्ड गोदाम है?

श्री हेमवती नन्दन बहुगुणा : जी हाँ।

Railway tracks damaged due to Floods in W. Bengal

*134. PROF. DILIP CHAKRA-VARTY:
SHRI JYOTIRMOY BOSU:

Will the Minister of RAILWAYS be pleased to state:

(a) whether he is aware that a large part of Railway tracks has been damaged as a result of the recent floods in the country;

(b) if so, what is the extent of damage in terms of figures (state-wise);

(c) how much damage has been there alone in West Bengal;

(d) how much time Government will take to repair the loss; and

(e) the quantum of money already spent and the further amount required for the operation?

THE MINISTER OF RAILWAYS (PROF. MADHU DANDAVATE): (a) Yes, Sir.

(b) to (e). A statement is laid on the table of the House.

Statement

(b) to (e). Information regarding loss suffered due to floods is not compiled State-wise but Railway-wise. The physical loss (excluding loss due to traffic earnings) suffered Railway-wise due to recent floods (from 1-9-78 to 31-10-78) is, however, estimated as follows:

	(Figures in lakhs of Rs.)
<i>Railway</i>	<i>Physical loss</i>
Central	1.52
Eastern	442.00
Northern	183.64
North Eastern	47.38
Northeast Frontier	
Southern	0.55
South Central	
South Eastern	305.00
TOTAL	960.39 (About 10 crores)

Despite the unprecedented and extensive devastating flood damage, with the exception of a few unimportant branch lines or narrow-gauge sections on the Eastern and Northern Railways and the third line between Kulgachia and Panskura on Howrah-Kharagpur Section of S.E. Railway, restoration work on all other sections has already been completed and the traffic thereon resumed. Restoration work on the remaining lines is expected to be com-